

07-01-19
07-03-1907-05-19
07-07-19Student: _____
Date: _____Instructor: Alfredo Alvarez
Course: Math 1314 AlvarezAssignment:
M1314FIESTACOREFINALU025e

1. Solve the equation by factoring.

$$9x^2 + 21x - 8 = 0$$

The solution set is {_____}.
(Use a comma to separate answers as needed.)

2. Solve the equation by the method of your choice.

$$2x^2 - x = 6$$

The solution set is {_____}.
(Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)

3. Solve the given radical equation. Check all proposed solutions.

$$\sqrt{5x+46} = x + 8$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.


- A. The solution set is {_____}.
(Use a comma to separate answers as needed.)
- B. There is no solution.

4. The graph and equation of the function f are given.

a. Use the graph to find any values at which f has a relative maximum, and use the equation to calculate the relative maximum for each value.

b. Use the graph to find any values at which f has a relative minimum, and use the equation to calculate the relative minimum for each value.

$$f(x) = 2x^3 + 3x^2 - 12x + 4$$



[-5, 5, 1] by [-30, 30, 3]

a. Select the correct choice below and, if necessary, fill in the answer boxes to complete your choice.

- A. The function f has (a) relative maxima(maximum) at _____ and the relative maxima(maximum) are(is) _____.
(Use a comma to separate answers as needed.)

- B. The function f has no relative maxima.

b. Select the correct choice below and, if necessary, fill in the answer boxes to complete your choice.

- A. The function f has (a) relative minima(minimum) at _____ and the relative minima(minimum) are(is) _____.
(Use a comma to separate answers as needed.)


- B. The function f has no relative minima.

5. The domain of the piecewise function is $(-\infty, \infty)$.
- Graph the function.
 - Use your graph to determine the function's range.


$$f(x) = \begin{cases} x + 5 & \text{if } x < 4 \\ x - 5 & \text{if } x \geq 4 \end{cases}$$

a. Choose the correct graph below.


A.




B.



C.



D.




b. The range of $f(x)$ is . (Type your answer in interval notation.)

6. Find the difference quotient of f ; that is, find $\frac{f(x+h) - f(x)}{h}$, $h \neq 0$, for the following function. Be sure to simplify.

$$f(x) = x^2 - 5x + 8$$


$$\frac{f(x+h) - f(x)}{h} = \boxed{\quad} \text{ (Simplify your answer.)}$$

7. Use the graph of $y = f(x)$ to graph the function $g(x) = f(x - 2) + 1$.




Choose the correct graph of g below.


A.




B.



C.



D.



8. Find the domain of the function.

$$f(x) = \sqrt{10 - 5x}$$

What is the domain of f ?

(Type your answer in interval notation.)

9. First find $f + g$, $f - g$, fg and $\frac{f}{g}$. Then determine the domain for each function.

$$f(x) = 6x + 1, g(x) = x - 8$$

$$(f + g)(x) = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

What is the domain of $f + g$?

- (1, ∞)
- $(-\infty, \infty)$
- $(-\infty, 1) \cup (1, \infty)$
- $[0, \infty)$

$$(f - g)(x) = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

What is the domain of $f - g$?

- $\left(-\frac{9}{5}, \infty\right)$
- $\left(-\infty, -\frac{9}{5}\right) \cup \left(-\frac{9}{5}, \infty\right)$
- $[0, \infty)$
- $(-\infty, \infty)$

$$(fg)(x) = \boxed{\hspace{2cm}}$$

What is the domain of fg ?

- $(-\infty, \infty)$
- $\left(-\infty, -\frac{1}{6}\right) \cup \left(-\frac{1}{6}, \infty\right)$
- $[0, \infty)$
- $(-\infty, 8) \cup (8, \infty)$

$$\left(\frac{f}{g}\right)(x) = \boxed{\hspace{2cm}}$$

What is the domain of $\frac{f}{g}$?

- $(8, \infty)$
- $(-\infty, 8) \cup (8, \infty)$
- $[0, \infty)$
- $(-\infty, \infty)$

10. For $f(x) = x + 3$ and $g(x) = 5x + 1$, find the following functions.

a. $(f \circ g)(x)$; b. $(g \circ f)(x)$; c. $(f \circ g)(1)$; d. $(g \circ f)(1)$

a. $(f \circ g)(x) =$ _____ (Simplify your answer.)

b. $(g \circ f)(x) =$ _____ (Simplify your answer.)

c. $(f \circ g)(1) =$ _____

d. $(g \circ f)(1) =$ _____

11. Find the midpoint of the line segment with the given endpoints.

(6,2) and (4,10)


The midpoint of the segment is _____.

(Type an ordered pair.)

12. Use the vertex and intercepts to sketch the graph of the quadratic function. Give the equation of the parabola's axis of symmetry. Use the graph to determine the domain and range of the function.

$$f(x) = 8x - x^2 - 12$$

Use the graphing tool to graph the equation. Use the vertex and one of the intercepts to draw the graph.



13. Consider the function $f(x) = -3x^2 + 12x - 8$.

- a. Determine, without graphing, whether the function has a minimum value or a maximum value.
 b. Find the minimum or maximum value and determine where it occurs.
 c. Identify the function's domain and its range.

a. The function has a (1) _____ value.

b. The minimum/maximum value is _____ . It occurs at $x =$ _____ .

c. The domain of f is _____ . (Type your answer in interval notation.)

The range of f is _____ . (Type your answer in interval notation.)

- (1) maximum
 minimum

14. The following equation is given.

$$x^3 - 3x^2 - 25x + 75 = 0$$

- a. List all rational roots that are possible according to the Rational Zero Theorem.

(Use a comma to separate answers as needed.)

- b. Use synthetic division to test several possible rational roots in order to identify one actual root.

One rational root of the given equation is .

(Simplify your answer.)

- c. Use the root from part (b.) and solve the equation.

The solution set of $x^3 - 3x^2 - 25x + 75 = 0$ is .

(Simplify your answer. Type an exact answer, using radicals as needed. Use integers or fractions for any numbers in the expression. Use a comma to separate answers as needed.)

15. Find the vertical asymptotes, if any, and the values of x corresponding to holes, if any, of the graph of the rational function.

$$h(x) = \frac{x+3}{x(x+6)}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice. (Type an equation. Use a comma to separate answers as needed.)

- A. The vertical asymptote(s) is(are) . There are no holes.
- B. There are no vertical asymptotes but there is(are) hole(s) corresponding to .
- C. The vertical asymptote(s) is(are) and hole(s) corresponding to .
- D. There are no discontinuities.

16. Find the horizontal asymptote, if any, of the graph of the rational function.

$$g(x) = \frac{27x^2}{9x^2 + 7}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The horizontal asymptote is . (Type an equation.)
- B. There is no horizontal asymptote.

17. Use properties of logarithms to expand the logarithmic expression as much as possible. Evaluate logarithmic expressions without using a calculator if possible.

$$\log_b \left(\frac{x^2 y}{z^4} \right)$$

$$\log_b \left(\frac{x^2 y}{z^4} \right) = \boxed{}$$

18. Solve the following exponential equation by expressing each side as a power of the same base and then equating exponents.

$$9^{x+1} = 81^{x-6}$$

The solution set is $\{ \text{_____} \}$.

19. Solve the logarithmic equation. Be sure to reject any value of x that is not in the domain of the original logarithmic expressions. Give the exact answer.

$$\log_6(x+30) - \log_6(x-5) = 2$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The solution set is $\{ \text{_____} \}$.
(Simplify your answer. Use a comma to separate answers as needed.)
- B. There is no solution.

20. Solve the logarithmic equation. Be sure to reject any value of x that is not in the domain of the original logarithmic expressions. Give the exact answer.

$$\log x + \log(x+6) = \log 7$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The solution set is $\{ \text{_____} \}$.
(Simplify your answer. Use a comma to separate answers as needed.)
- B. There is no solution.

21. Complete the table for a savings account subject to continuous compounding.

$$(A = Pe^{rt})$$

Amount Invested	Annual Interest Rate	Accumulated Amount	Time t in years
\$8500	4%	\$17,000	?

Let A represent the accumulated amount, P the amount invested, r the annual interest rate, and t the time, t .

$$t \approx \text{_____} \text{ years}$$

(Round to one decimal place as needed.)

22. Solve the given system of equations.

$$\begin{aligned} x + y + 4z &= 18 \\ x + y + 5z &= 21 \\ x + 4y - 6z &= 3 \end{aligned}$$

Select the correct choice below and fill in any answer boxes within your choice.

- A. There is one solution. The solution set is
 $\{ (\text{_____}, \text{_____}, \text{_____}) \}$. (Simplify your answers.)
- B. There are infinitely many solutions.
- C. There is no solution.

23. Write the first four terms of the sequence whose general term is given.

$$a_n = \frac{2n}{n+3}$$

$$a_1 = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

$$a_2 = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

$$a_3 = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

$$a_4 = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

24.

Find the indicated sum.

$$\sum_{i=1}^5 i(i+5)$$

$$\sum_{i=1}^5 i(i+5) = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

25. Use the Binomial Theorem to expand the expression.

$$(x+5)^3$$

$$(x+5)^3 = \boxed{\hspace{2cm}} \text{ (Simplify your answer.)}$$

1. $\frac{1}{3} - \frac{8}{3}$

2. $2, -\frac{3}{2}$

3. A. The solution set is .(Use a comma to separate answers as needed.)

4. A.

The function f has (a) relative maxima(maximum) at and the relative maxima(maximum) are(is) .


(Use a comma to separate answers as needed.)

A.

The function f has (a) relative minima(minimum) at and the relative minima(minimum) are(is) .

(Use a comma to separate answers as needed.)


5.



A.

6. $2x + h - 5$

7.



A.

8.

9. $7x - 7$

$(-\infty, \infty)$

$5x + 9$

$(-\infty, \infty)$

$6x^2 - 47x - 8$

$(-\infty, \infty)$

$\frac{6x+1}{x-8}$

$(-\infty, 8) \cup (8, \infty)$

10. $5x + 4$


$5x + 16$

9

21

11. $(5, 6)$

12.



$x = 4$

$(-\infty, \infty)$

$(-\infty, 4]$

13. (1) maximum

4

2

 $(-\infty, \infty)$ $(-\infty, 4]$

14. 1, -1, 5, -5, 75, -75, 3, -3, 15, -15, 25, -25

3

3, 5, -5

15. A. The vertical asymptote(s) is(are) $x = -6, x = 0$. There are no holes.16. A. The horizontal asymptote is $y = 3$. (Type an equation.)17. $2 \log_b x + \log_b y - 4 \log_b z$

18. 13

19. A. The solution set is $\{6\}$. (Simplify your answer. Use a comma to separate answers as needed.)20. A. The solution set is $\{1\}$. (Simplify your answer. Use a comma to separate answers as needed.)21. 17.3

22. A.

There is one solution. The solution set is $\{(1, 5, 3)\}$. (Simplify your answers.)23. $\frac{1}{2}$ $\frac{4}{5}$

1

 $\frac{8}{7}$

24. 130

25. $x^3 + 15x^2 + 75x + 125$

11/14 Factor to find zeros

① Part 1 Solve by factoring

$$9x^2 + 21x - 8 = 0$$

$$(3x-1)(3x+8) = 0$$

but $3x-1=0$ or $3x+8=0$

$$3x-1+1=0+1 \text{ OR } 3x+8-8=0-8$$

$$3x=1 \text{ OR } 3x=-8$$

$$\frac{3x}{3} = \frac{1}{3} \text{ OR } \frac{3x}{3} = \frac{-8}{3}$$

$$x = \frac{1}{3}$$

$$\text{OR } x = \frac{-8}{3}$$

Possibly
9, 1
3, 3
8, 1
21, 4

Part 2 Solve by Quadratic formula

① $9x^2 + 21x - 8 = 0$

$a=9, b=21, c=-8$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-21 \pm \sqrt{(21)^2 - 4(9)(-8)}}{2(9)}$$

$$x = \frac{-21 \pm \sqrt{441 + 288}}{18}$$

$$x = \frac{-21 \pm \sqrt{729}}{18}$$

$$x = \frac{-21 \pm 27}{18}$$

$$x = \frac{-21 + 27}{18} \quad \text{or} \quad x = \frac{-21 - 27}{18}$$

$$x = \frac{6}{18} \quad \text{or} \quad x = \frac{-48}{18}$$

$$x = \frac{6(1)}{6(3)} \quad \text{or} \quad x = \frac{6(-8)}{6(3)}$$

$$x = \frac{1}{3}$$

$$\text{or} \quad x = \frac{-8}{3}$$

② Part 1 Solve by factoring

$$2x^2 - x = 6$$

$$2x^2 - x - 6 = 0$$

$$(2x+3)(x-2) = 0$$

Possible
②. 1 6. 1
 2. 3

$$\text{or } 2x+3=0 \text{ or } x-2=0$$

$$2x+3-3=0-3 \text{ or } x-2+2=0+2$$

$$2x = -3 \text{ or}$$

$$\frac{2x}{2} = \frac{-3}{2}$$

$$x = 2$$

$$x = -\frac{3}{2}$$

② Part 2 Soln using Quadratic formula

$$2x^2 - x = 6$$

$$2x^2 - x - 6 = 0$$

$$a = 2, b = -1, c = -6$$

$$x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$$

$$x = \frac{-(-1) \pm \sqrt{(-1)^2 - 4(2)(-6)}}{2(2)}$$

$$x = \frac{1 \pm \sqrt{1 + 48}}{4}$$

$$x = \frac{1 \pm \sqrt{49}}{4}$$

$$x = \frac{1 \pm 7}{4}$$

$$x = \frac{1-7}{4} \text{ or } x = \frac{1+7}{4}$$

$$x = -\frac{6}{4} \text{ or } x = \frac{8}{4}$$

$$x = \frac{8(-3)}{2(2)} \text{ or } x = 2$$

$$x = -\frac{3}{2}$$

$$\textcircled{3} \quad \sqrt{5x+46} = x+8$$

$$(\sqrt{5x+46})^2 = (x+8)^2$$

$$5x+46 = (x+8)(x+8)$$

$$5x+46 = x^2 + 8x + 8x + 64$$

$$5x+46 = x^2 + 16x + 64$$

$$0 = x^2 + 16x + 64 - 5x - 46$$

$$0 = x^2 + 11x + 18$$

$$0 = (x+2)(x+9)$$

$$\text{Let } x+2=0 \quad \text{OR} \quad x+9=0$$

$$x+2-2=0-2$$

OR

$$x+9-9=0-9$$

$$\textcircled{x=-2}$$

OR

$$\textcircled{x=-9}$$

Check

$$\sqrt{5x+46} = x+8$$

$$\sqrt{5(-2)+46} = (-2)+8$$

$$\sqrt{-10+46} = -2+8$$

$$\sqrt{36} = 6$$

$$6 = 6$$

Good

$$\sqrt{1} = -1$$

$$1 \neq -1$$

BAD

Answer

$$\boxed{x = -2 \text{ only}}$$



④ find relative max or min

$$f(x) = 2x^3 + 3x^2 - 12x + 4$$

Windows

$$x_{\text{min}} = -5$$


$$x_{\text{max}} = 5$$

$$y_{\text{min}} = -30$$

$$y_{\text{max}} = 30$$

use a graphing calculator

$$y_1 = 2x^3 + 3x^2 - 12x + 4 \xrightarrow{\text{BIG}}$$



relative max $(-2, 24)$

relative min $(1, -3)$

⑤ graph

window


$$\begin{aligned}x_{\min} &= -12 \\x_{\max} &= 12 \\y_{\min} &= -10 \\y_{\max} &= 10\end{aligned}$$

$$f(x) = \begin{cases} x+5 & \text{if } x < 4 \\ x-5 & \text{if } x \geq 4 \end{cases}$$

use graphing calculator
2nd matr

$$y_1 = x+5 \quad (x < 4) \text{ open circle}$$

$$y_2 = x-5 \quad (x \geq 4) \text{ close circle}$$



$$⑥ f(x) = x^2 - 5x + 8$$

$$\frac{f(x+h) - f(x)}{h} =$$

$$\frac{(x+h)^2 - 5(x+h) + 8 - (x^2 - 5x + 8)}{h} =$$

$$\frac{(x+h)(x+h) - 5x - 5h + 8 - x^2 + 5x - 8}{h} =$$

$$\frac{x^2 + xh + xh + h^2 - 5x - 5h + 8 - x^2 + 5x - 8}{h} =$$


$$\cancel{x^2 + 2xh + h^2 - 5x - 5h + 8 - x^2 + 5x - 8} =$$

$$\frac{2xh + h^2 - 5h}{h} =$$

$$\frac{2xh}{h} + \frac{h^2}{h} - \frac{5h}{h} =$$

$$2x + h - 5 =$$


⑦ Use the graph of $y = f(x)$ to graph the function $g(x) = f(x - 2) + 1$



$$g(x) = f(x - 2) + 1$$

Sh. ft right 2 Sh. ft 1 up

NEW



⑧ find the domain

$$f(x) = \sqrt{10 - 5x}$$

$$\text{s.t. } 10 - 5x \geq 0$$

$$10 - 5x - 10 \geq 0 - 10$$

$$-5x \geq -10$$

$$\frac{-5x}{-5} \leq \frac{-10}{-5}$$

$$x \leq 2$$



2

$$(-\infty, 2]$$

formal
domain

$$f(x) = \sqrt{Ax + B}$$

$$\text{s.t. } Ax + B \geq 0$$

⑨ $f(x) = 6x+1$ and $g(x) = x-8$

$$(f+g)(x) =$$

$$f(x)+g(x) =$$

$$(6x+1)+(x-8) =$$

$$6x+1+x-8 =$$

$$7x-7 = \text{domain } (-\infty, \infty)$$

$$(f-g)(x) =$$

$$f(x)-g(x) =$$

$$(6x+1)-(x-8) =$$

$$6x+1-x+8 =$$

$$5x+9 = \text{domain } (-\infty, \infty)$$

$$(f \cdot g)(x) =$$

$$f(x) \cdot g(x) =$$

$$(6x+1)(x-8) =$$

$$6x^2 - 48x + 1x - 8 =$$

$$6x^2 - 47x - 8 = \text{domain } (-\infty, \infty)$$

$$\left(\frac{f}{g}\right)(x) =$$

$$\frac{f(x)}{g(x)} =$$

$$\frac{6x+1}{x-8} =$$

$$\text{domain } (-\infty, 8) \cup (8, \infty)$$

(10) $f(x) = x+3$ and $g(x) = 5x+1$

$$(f \circ g)(x) =$$

$$f(g(x)) =$$

$$f(5x+1) =$$

$$(5x+1) + 3 =$$

$$5x+1+3 =$$

$$\boxed{5x+4 =}$$

$$(g \circ f)(x) =$$

$$g(f(x)) =$$

$$g(x+3) =$$

$$5(x+3)+1 =$$

$$5x+15+1 =$$

$$\boxed{5x+16 =}$$

$$(f \circ g)(x) = 5x+4$$

$$(f \circ g)(1) = 5(1)+4$$

$$\boxed{(f \circ g)(1) = 5+4}$$

$$\boxed{(f \circ g)(1) = 9}$$

$$(g \circ f)(x) = 5x+16$$

$$(g \circ f)(1) = 5(1)+16$$

$$\boxed{(g \circ f)(1) = 5+16}$$

$$\boxed{(g \circ f)(1) = 21}$$

⑪. find mid point

$$(6, 2) \text{ and } (4, 10)$$
$$x_1 \quad y_1 \qquad x_2 \quad y_2$$

$$\text{Mid point} = \left(\frac{x_1+x_2}{2}, \frac{y_1+y_2}{2} \right)$$

$$\text{Mid point} = \left(\frac{(6)+(4)}{2}, \frac{\cancel{(2)}+\cancel{(10)}}{2} \right)$$

$$\text{Mid point} = \left(\frac{6+4}{2}, \frac{2+10}{2} \right)$$

$$\text{Mid point} = \left(\frac{10}{2}, \frac{12}{2} \right)$$

$$\text{Mid point} = (5) \quad (6)$$

(12)

graph

$$f(x) = 8x - x^2 - 12$$

windows

$$x_{\text{min}} = -12$$


$$x_{\text{max}} = 12$$

$$y_{\text{min}} = -10$$

$$y_{\text{max}} = 10$$

use graph calc. L.C.

$$y_1 = 8x - x^2 - 12$$



(13.) $f(x) = -3x^2 + 12x - 8$ graph opens down max

$a = -3, b = 12, c = -8$

$$\text{Max} = \text{Vertex} = \left(\frac{-b}{2a}, f\left(\frac{-b}{2a}\right) \right)$$

$$\text{Vertex} = \left(\frac{-(12)}{2(-3)}, f\left(\frac{-(12)}{2(-3)}\right) \right)$$

$$\text{Vertex} = \left(\frac{-12}{-6}, f\left(\frac{-12}{-6}\right) \right)$$

$$\text{Vertex} = (2, f(2))$$

$$\text{Vertex} = (2, -3(2)^2 + 12(2) - 8)$$

$$\text{Vertex} = (2, -3(2)(2) + 12(2) - 8)$$

$$\text{Vertex} = (2, -12 + 24 - 8)$$

$$\text{Vertex} = (2, 4)$$

Max ↗

$$\textcircled{19} \quad 1x^3 - 3x^2 - 25x + 75 = 0$$

Possible rational roots

last
first

$$\frac{\pm 75}{\pm 1}$$

$$\pm 75, \pm 25, \pm 15, \pm 5, \pm 3, \pm 1$$

$$\pm 75, \mp 25, \pm 15, \pm 5, \pm 3, \pm 1$$

Try $x = 5$

$$\begin{array}{r} 5 \\[-1ex] \overline{)1 \quad -3 \quad -25 \quad 75} \\ \quad 5 \quad 10 \quad -75 \\ \hline \quad 1 \quad 2 \quad -15 \end{array} \quad \textcircled{0} \text{ rem}$$

$$x^2 + 2x - 15 = 0$$

$$(x - 3)(x + 5) = 0$$

$$\text{so } x - 3 = 0 \quad \text{or} \quad x + 5 = 0$$

$$x - 3 + 3 = 0 + 3 \quad \text{OR} \quad x + 5 - 5 = 0 - 5$$

$x = 3$

$x = -5$

Answers

$$\boxed{5, 3, -5}$$

(15.) Find vertical asymptotes.

$$h(x) = \frac{x+3}{x(x+6)}$$

Bottom only

$$\text{w } x(x+6) = 0$$

$$x=0$$

or

$$x+6 = 0$$

$$x+6 - 6 = 0 - 6$$

$$x = -6$$

Vertical asymptote

$$x=0$$

or

$$x=-6$$

⑯ find the horizontal asymptote

$$g(x) = \frac{27x^2}{9x^2 + 7}$$

$$\lim_{x \rightarrow \infty} \frac{27x^2}{9x^2 + 7} =$$

$$\lim_{x \rightarrow \infty} \left(\frac{27x^2}{9x^2 + 7} \right) \cdot \frac{\frac{1}{x^2}}{\frac{1}{x^2}} =$$

$$\lim_{x \rightarrow \infty} \frac{\frac{27x^2}{x^2}}{\frac{9x^2}{x^2} + \frac{7}{x^2}} =$$

$$\lim_{x \rightarrow \infty} \frac{27}{9 + \frac{7}{x^2}} =$$

$$\lim_{x \rightarrow \infty} \frac{27}{9 + \frac{7}{x^2}} =$$

$$\frac{27}{9+0} =$$

$$\frac{27}{9} =$$

$$\lim_{x \rightarrow \infty} \frac{1}{x^n} = 0$$

horizontal asymptote $y = 3$

(17) expand

$$\log_b \left(\frac{x^2y}{z^4} \right) =$$

$$\log_b(x^2y) - \log_b(z^4) =$$

$$\log_b(x^2) + \log_b(y) - \log_b(z^4) =$$

$$2\log_b(x) + \log_b(y) - 4\log_b(z) =$$

formula

$$\log_b \left(\frac{A}{B} \right)$$

$$\log_b(A) - \log_b(B)$$

$$\log_b(AB) =$$

$$\log_b(A) + \log_b(B) =$$

$$\log_b(A^N) =$$

$$N\log_b(A) =$$

$$⑯ \quad 9^{x+1} = 81^{x-6}$$

$$(3^2)^{x+1} = (3^4)^{x-6}$$

$$3^{2x+2} = 3^{4x-24}$$

$$2x+2 = 4x-24$$

$$2x + \cancel{x} - \cancel{2} = 4x - 24 - \cancel{2}$$

$$2x = 4x - 26$$

$$2x - 4x = 4x - 26 - \cancel{4x}$$

$$-2x = -26$$

$$\frac{-2x}{-2} = \frac{-26}{-2}$$

$$x = 13$$

$$⑯ \log_6(x+30) - \log_6(x-5) = 2$$

$$\log_6\left(\frac{x+30}{x-5}\right) = 2$$

$$6^2 = \frac{x+30}{x-5}$$

$$36 = \frac{x+30}{x-5}$$

$$36(x-5) = ((x+30)) \quad \text{cross mult}$$

$$36x - 180 = 1x + 30$$

$$36x - 180 + 180 = 1x + 30 + 180$$

$$36x = 1x + 210$$

$$36x - 1x = 1x + 210 - 1x$$

$$35x = 210$$

$$\frac{35x}{35} = \frac{210}{35}$$

$$x = 6$$

Check

$$\log_6(x+30) - \log_6(x-5) = 2$$

$$\log_6(6+30) - \log_6(6-5) = 2$$

$$\log_6(36) - \log_6(1) = 2$$

Good

Good

Answer
X = 6

formula

$$\log_6(A) - \log_6(B) =$$

$$\log_6\left(\frac{A}{B}\right) =$$

$$② \log(x) + \log(x+6) = \log(7)$$

$$\log(x)(x+6) = \log(7)$$

$$x(x+6) = 7$$

$$x^2 + 6x = 7$$

$$x^2 + 6x - 7 = 0$$

$$(x-1)(x+7) = 0$$

$$\text{let } x-1=0 \quad \text{OR} \quad x+7=0$$

$$x-1+1=0+1 \quad \text{OR} \quad x+7-7=0-7$$

$$x=1$$

$$\text{or } x=-7$$

Check

$$\log(x) + \log(x+6) = \log(7)$$

$$\log(1) + \log(1+6) = \log(7)$$

$$\log(1) + \log(7) = \log(7)$$

Good

Good

Good

$$\log(-7) + \log(-7+6) = \log(7)$$

$$\log(-7) + \log(-1) = \log(7)$$

BAD

BAD

Answer only

$$x=1$$

1.7

formula

$$\log(A) + \log(B) = \\ \log(AB) =$$

1.7

$$21) A = P e^{rt}$$

$$17000 = 6500 e^{0.04t}$$

$$\frac{17000}{6500} = \frac{6500 e^{0.04t}}{6500}$$

$$2 = e^{0.04t}$$

$$\ln(2) = \ln(e^{0.04t})$$

$$\ln(2) = 0.04t \ln(e)$$

$$\ln(2) = 0.04t(1)$$

$$\ln(2) = 0.04t$$

$$\frac{\ln(2)}{0.04} = \frac{0.04t}{0.04}$$

$$17.32867951 = t$$

$$17.3 = t$$

Round

$$A = 17000$$

$$P = 6500$$

$$r = 4\% = .04$$

$$t = ?$$

formula

$$\ln(A^n) =$$

$$n \ln(A) =$$

$$\ln(P) =$$

$$1 =$$

(20)

$$x + y + 4z = 18$$

$$x + y + 5z = 21$$

$$x + 4y - 6z = 3$$

Solve

use a graphing
calculator

2nd, matrix, edit, [A], 3x4, enter

$$[A] = \begin{bmatrix} 1 & 1 & 4 & 18 \\ 1 & 1 & 5 & 21 \\ 1 & 4 & -6 & 3 \end{bmatrix}$$

2nd, Matrix, Math, ↓, rref(), enter

$$\text{rref } ([A]) =$$

$$\begin{bmatrix} 1 & 0 & 0 & 17 \\ 0 & 1 & 0 & 5 \\ 0 & 0 & 1 & 3 \end{bmatrix} \begin{matrix} x \\ y \\ z \end{matrix}$$

$$(x, y, z) = (1, 5, 3)$$

② 3) write the first four terms
in the sequence

$$a_n = \frac{2n}{n+3}$$

$$a_1 = \frac{2(1)}{1+3} = \frac{2}{4} = \frac{1(1)}{1(2)} = \frac{1}{2}$$

$$a_2 = \frac{2(2)}{2+3} = \frac{4}{5}$$

$$a_3 = \frac{2(3)}{3+3} = \frac{6}{6} = 1$$

$$a_4 = \frac{2(4)}{4+3} = \frac{8}{7}$$

29

$$\sum_{i=1}^5 i(i+5)$$

$$1(1+5) + 2(2+5) + 3(3+5) + 4(4+5) + 5(5+5) =$$


$$1(6) + 2(7) + 3(8) + 4(9) + 5(10) =$$

$$6 + 14 + 24 + 36 + 50 =$$

$$130 =$$

OR use a graphing calculator

Math, ↓, summation Σ ,



(25) use the binomial theorem

$$\begin{aligned} & \binom{3}{0}(x)^3(s)^0 + \binom{3}{1}(x)^2(s)^1 + \binom{3}{2}(x)^1(s)^2 + \binom{3}{3}(x)^0(s)^3 = \\ & (1)(x^3)(1) + (3)(x^2)(s) + (3)(x)(s^2) + (1)(1)(s^3) = \\ & x^3 + 15x^2 + 75x + 125 = \end{aligned}$$

use graphing calculator

3, Math, Prb, NCr, 0, enter = 1

3, Math, Prb, NCr, 1, enter = 3

3, Math, Prb, NCr, 2, enter = 3

3, Math, Prb, NCr, 3, enter = 1