Student: \_\_\_\_

**Instructor:** Alfredo Alvarez

Course: Algebra Foundations, Martin-

Gay, Elayn


Assignment: m032039pract

1. Solve the inequality. Graph the solution set and write it in interval notation.

$$4x - 3 \le 5x - 2x$$


Date:

Choose the graph of the solution set.











The solution to the inequality  $4x - 3 \le 5x - 2x$  is

(Type your answer in interval notation.)


2. For the following equation, find three ordered pair solutions by completing the table. Then use the ordered pairs to graph the equation.

$$y = -3x + 6$$

Find three ordered pair solutions of the given equation.

х	у
0	
1	
2	

Use the graphing tool to graph the line.



3. If  $P(x) = x^2 + x + 5$ , find P(7).

4. Find the quotient using long division.

$$\frac{5x^2 - 4x + 5}{x - 2}$$

$$\frac{5x^2 - 4x + 5}{x - 2} =$$
 (Simplify your answer.)

5. Factor the following polynomial.

$$-45x^6y^5 - 36x^7y^2$$

$$-45x^6y^5 - 36x^7y^2 =$$
 \_\_\_\_\_ (Factor completely.)

6. Factor the trinomial completely. If the trinomial contains a greatest common factor (other than 1), factor out the GCF first.

$$3x^3 - 21x^2 + 36x$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- **A.**  $3x^3 21x^2 + 36x =$  (Factor completely.)
- OB. The polynomial is prime.
- 7. Factor the trinomial completely.

$$3x^2 - 32x - 11$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- $\bigcirc$  A.  $3x^2 32x 11 =$  (Factor completely.)
- OB. The polynomial is prime.
- 8. Factor the following binomial completely.

$$196x^2 - 81y^2$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- $\bigcirc$  **A.**  $196x^2 81y^2 =$  (Factor completely.)
- OB. The polynomial is prime.
- 9. Factor the binomial completely.

$$xy^3 - 25xyz^2$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- $\bigcirc$  **A.**  $xy^3 25xyz^2 =$  (Factor completely.)
- B. The polynomial is prime.
- 10. Solve the equation.

$$(3x-7)(7x+6)=0$$

x = \_\_\_\_

(Simplify your answer. Type each solution only once. Use a comma to separate answers as needed.)

11. Solve the equation.

$$x^2 - 10x + 24 = 0$$

**y** =

(Simplify your answer. Type each solution only once. Use a comma to separate answers as needed.)

12. Solve.

$$x^2 + 3x - 40 = 0$$

x =

(Simplify your answer. Type each solution only once. Use a comma to separate answers as needed.)

13. Solve the equation.

$$16x^2 - 25 = 0$$

x =

(Simplify your answer. Type each solution only once. Use a comma to separate answers as needed.)

14. Solve.

$$3x^2 - 2x - 8 = 0$$

x =

(Simplify your answer. Type each solution only once. Use a comma to separate answers as needed.)

15. Simplify the expression.

Select the correct choice below and fill in any answer boxes in your choice.

- $\bigcirc$  A.  $\frac{2}{4a-10} =$  (Simplify your answer.)
- OB. The expression cannot be simplified.
- 16. Find the product and simplify if possible.

$$\frac{x}{7x-49} \cdot \frac{x^2-7x}{2}$$

$$\frac{x}{7x-49} \cdot \frac{x^2-7x}{2} = \underline{\hspace{1cm}}$$

(Simplify your answer. Use integers or fractions for any numbers in the expression.)

17. Find the quotient and simplify.

$$\frac{x^2 + 4x + 3}{x - 9} \div \frac{x^2 - 3x - 4}{x - 9}$$

$$\frac{x^2 + 4x + 3}{x - 9} \div \frac{x^2 - 3x - 4}{x - 9} =$$
 (Type your answer in factored form.)

18. Perform the indicated operation. Simplify if possible.

$$\frac{y^2}{y-9} - \frac{22y-117}{y-9}$$

The difference is \_\_\_\_\_\_.

19. Solve the compound inequality.

$$-18 \le 8x - 10 \le 14$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- The solution set is \_\_\_\_\_.
  (Type your answer in interval notation. Simplify your answer. Use integers or fractions for any numbers in the expression.)
- $\bigcirc$  **B.** The solution set is  $\emptyset$ .
- 20. Solve the absolute value equation.

$$|2x - 1| = 15$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- A. The solution set is { }. (Type an integer or a simplified fraction. Use a comma to separate answers as needed.)
- B. The solution set is Ø.


21. Solve the inequality. Then graph the solution set.

$$|x + 4| < 4$$

Select the correct choice below and, if necessary, fill in the answer box within your choice.

- C A. The solution is one or more intervals. The solution is \_\_\_\_\_\_.
  (Simplify your answer. Type your answer in interval notation. Use integers or fractions for any numbers in the expression.)
- O B. There are only one or two solutions. The solution set is { }. (Type an integer or a fraction. Use a comma to separate answers as needed.)
- O. There is no solution.

Choose the correct graph below.




22. Solve the inequality. Graph the solution set.

$$|x+3| \ge 8$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- The solution is one or more intervals. The solution is \_\_\_\_\_.
  (Type your answer in interval notation. Simplify your answer. Use integers or fractions for any numbers in the expression.)
- O B. There are only one or two solutions. The solution set is {\_\_\_\_\_} (Use a comma to separate answers as needed.)
- C. There is no solution.

Choose the correct graph below.



23. Find the cube root.

$$\sqrt[3]{-27x^{15}}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- B. The root is not a real number.
- 24. Simplify the radical. Assume that all variables represent positive real numbers.

$$\sqrt{16a^{10}b^{18}}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- $\bigcirc$  **A.**  $\sqrt{16a^{10}b^{18}} =$
- OB. The square root is not a real number.
- 25. Simplify the radical. Assume that all variables represent positive real numbers.

$$\sqrt[3]{-8x^{12}y^6}$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- $\bigcirc$  **A.**  $\sqrt[3]{-8x^{12}y^6} =$
- OB. The radical does not represent a real number.
- 26. Use radical notation to rewrite the expression. Simplify if possible.

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- O A.  $16^{3/4} =$  (Simplify your answer. Type an exact answer, using radicals as needed.)
- OB. The answer is not a real number.
- 27. Simplify by factoring.

 $\sqrt{175}$ 

 $\sqrt{175} =$  (Type an exact answer, using radicals as needed.)

28. Express in simplified form.

 $\sqrt[3]{750} =$ \_\_\_\_\_\_•  $\sqrt[3]{}$ \_\_\_\_\_\_

- $\sqrt[3]{750}$
- 29. Find the distance between the pair of points.

(3,2) and (15,7)

The exact distance is \_\_\_\_\_ units. (Simplify your answer.)

30. Find the midpoint of the line segment whose endpoints are given.

$$(8, -8)$$
 and  $(4,2)$ 

The midpoint of the line segment is \_\_\_\_\_ . (Type an ordered pair.)

31. Solve.

$$\sqrt{x-8}=3$$

Select the correct choice below and, if necessary, fill in the answer box to complete your choice.

- The solution(s) is(are) x = \_\_\_\_.
  (Use a comma to separate answers as needed.)
- O B. The solution set is Ø.
- 32. Subtract.

$$(2+5i)-(5-5i)$$

$$(2+5i)-(5-5i)=$$

(Simplify your answer. Type your answer in the form a + bi.)

33. Write the quotient in the form a + bi.

$$\frac{1+9i}{1+i}$$

$$\frac{1+9i}{1+i} = \frac{1+9i}{1+i}$$

(Simplify your answer. Type your answer in the form a + bi. Use integers or fractions for any numbers in the expression.)

34. Use the square root property to solve the equation. The equation has real number solutions.

$$(x+2)^2 = 4$$

χ=

(Simplify your answer. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)

35. Use the quadratic formula to solve the equation.

$$m^2 - 6m + 5 = 0$$

m =

(Simplify your answer. Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)

36. Use the quadratic formula to solve the equation. The equation has real number solutions.

$$5y = 2y^2 - 3$$

v =

(Type a simplified answer, using fractions and radicals as needed. Use a comma to separate answers as needed.)

37. Use the quadratic formula to solve the equation.

$$x^2 - 7x - 3 = 0$$

x =

(Type an exact answer, using radicals as needed. Use a comma to separate answers as needed.)

38. Use the quadratic formula to solve the equation.

$$x^2 + 2x + 5 = 0$$

The solution(s) is/are x =

(Simplify your answer. Type an exact answer, using radicals and i as needed. Use a comma to separate answers as needed.)

39. Sketch the graph of the quadratic function and the axis of symmetry. State the vertex, and give the equation for the axis of symmetry.


$$f(x) = x^2 - 5$$

Use the graphing tool to graph the function as a solid curve and the axis of symmetry as a dashed line.

The vertex is \_\_\_\_\_\_(Type an ordered pair.)

The axis of symmetry is \_\_\_\_\_.

(Type an equation.)



D. -10 -8 -6 -4 -2 0 2 4 6 8 10




2.6

1.

3

0



3.61

4. 
$$5x + 6 + \frac{17}{x - 2}$$

5. 
$$9x^6y^2(-5y^3-4x)$$

6. A. 
$$3x^3 - 21x^2 + 36x = 3x(x - 4)(x - 3)$$
 (Factor completely.)

7. A. 
$$3x^2 - 32x - 11 = (3x + 1)(x - 11)$$
 (Factor completely.)

8. A. 
$$196x^2 - 81y^2 = (14x + 9y)(14x - 9y)$$
 (Factor completely.)

9. A. 
$$xy^3 - 25xyz^2 = xy(y + 5z)(y - 5z)$$
 (Factor completely.)

10. 
$$\frac{7}{3}$$
,  $-\frac{6}{7}$ 

- 11. 4,6
- 12. 8,5
- 13.  $\frac{5}{4}$ ,  $-\frac{5}{4}$
- $-\frac{4}{3}$ ,2
- 15. A.  $\frac{2}{4a-10} = \frac{1}{2a-5}$  (Simplify your answer.)
- 16.  $\frac{x^2}{14}$
- 17.  $\frac{x+3}{x-4}$
- 18. y 13
- 19. A. The solution set is \_\_\_\_[-1,3]\_\_\_.

  (Type your answer in interval notation. Simplify your answer. Use integers or fractions for any numbers in the expression.)
- 20. A. The solution set is  $\{8, -7\}$ . (Type an integer or a simplified fraction. Use a comma to separate answers as needed.)
- 21. A. The solution is one or more intervals. The solution is \_\_\_\_(-8,0)\_\_\_.

  (Simplify your answer. Type your answer in interval notation. Use integers or fractions for any numbers in the expression.)



22. A. The solution is one or more intervals. The solution is  $(-\infty, -11] \cup [5, \infty)$ .


(Type your answer in interval notation. Simplify your answer. Use integers or fractions for any numbers in the expression.)

- 23. A.  $\sqrt[3]{-27x^{15}} = -3x^5$  (Simplify your answer.)
- 24. A.  $\sqrt{16a^{10}b^{18}} =$  4 $a^5b^9$
- 25. A.  $\sqrt[3]{-8x^{12}y^6} = -2x^4y^2$
- 26. A.  $16^{3/4} =$  \_\_\_\_\_8 (Simplify your answer. Type an exact answer, using radicals as needed.)
- 27.  $5\sqrt{7}$
- 28.5

6

- 29.13
- 30.(6, -3)
- 31. A. The solution(s) is(are) x = \_\_\_\_\_\_. (Use a comma to separate answers as needed.)
- 32. -3 + 10i
- 33. 5 + 4i
- 34. 0, -4
- 35. 5,1
- 36.  $3, -\frac{1}{2}$
- $37. \ \frac{7 \sqrt{61}}{2}, \frac{7 + \sqrt{61}}{2}$
- 38. -1+2i, -1-2i

m032039pract Page 12 of 12



(0, -5)

x = 0